



1/17




FIG. 1




FIG. 2




FIG. 3

BEST AVAILABLE COPY




FIG. 4




FIG. 5




FIG. 6A



FIG. 7A




FIG. 7B




FIG. 8A




FIG. 8B




FIG. 9




FIG. 10A




FIG. 10B




FIG. 10C




FIG. 10D




FIG. 11




FIG. 12




FIG. 13




FIG. 14






FIG. 15




An example of a regular interval sampling field for microarchitecture (+) and a higher density sampling field for macro-anatomical features(*) on a femur radiograph.

FIG. 16




Watershed segmentation boundaries superimposed on a parameter map. The two white lines are the actual fracture paths resulted from an in-vitro mechanical loading test.

FIG. 17



Process to determine fracture risk using overlapping window processing and fracture paths prediction.

FIG. 18



$S_i: \{F1i, F2i, \dots, Fni\} \rightarrow$ feature set at site S_i

Joint distribution of feature set given neighboring sets:

$$P(s_i | s_k, s_k \in ROI) = P(s_i | s_k, s_k \in N_i)$$

FIG. 19




FIG. 20

A posteriori density distribution

$$P(T_i | ROI) = \frac{P(ROI | T_i) P(T_i)}{P(ROI)}$$




FIG. 21




FIG. 22






FIG. 23



(a)



(b)

FIG. 24

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.